

Electrostatic Dissipative Labels (B-473, B-717, B-718)

Low profile polyimide and polyester materials that have static dissipative properties. Primarily used for printed circuit boards and electronic component labeling.

- **B-473 Electrostatic Dissipative Polyester Material** - White glossy polyester with a permanent static dissipative adhesive and liner
- **B-717 Electrostatic Dissipative Polyimide Material** - High temperature white glossy polyimide material (2 mil) with a permanent static dissipative adhesive and liner for PCB identification
- **B-718 Electrostatic Dissipative Polyimide Material** - High temperature, low profile white glossy polyimide material (1 mil) with a permanent static dissipative adhesive and liner for PCB identification




Figure 29




Diagram	Catalog #	B#	Material	Color	Label Width A		Label Height B		Labels Per Roll	Rec. Ribbon
					Inch	(mm)	Inch	(mm)		
B-473 Glossy White Polyester										
Fig. 29	M71-6-473	B-473	Polyester	White	0.500	(12.7)	0.275	(7.0)	750	M71-R6000
Fig. 29	M71-9-473	B-473	Polyester	White	0.650	(16.5)	0.200	(5.1)	750	M71-R6000
Fig. 29	M71-10-473	B-473	Polyester	White	0.750	(19.1)	0.250	(6.4)	750	M71-R6000
Fig. 29	M71-16-473	B-473	Polyester	White	1.000	(25.4)	0.375	(9.5)	500	M71-R6000
Fig. 29	M71-17-473	B-473	Polyester	White	1.000	(25.4)	0.500	(12.7)	500	M71-R6000
Fig. 29	M71-28-473	B-473	Polyester	White	1.500	(38.1)	0.250	(6.4)	750	M71-R6000
B-717 Glossy White Static Dissipative Polyimide										
Fig. 29	M71-14-717	B-717	Polyimide	White	1.000	(25.4)	0.187	(4.8)	750	M71-R6000
Fig. 29	M71-2-717	B-717	Polyimide	White	2.000	(50.8)	0.250	(6.4)	100	M71-R6000
B-718 Glossy White Low Profile Static Dissipative Polyimide										
Fig. 29	M71-4-718	B-718	Polyimide	White	0.400	(10.2)	0.400	(10.2)	500	M71-R6000
Fig. 29	M71-9-718	B-718	Polyimide	White	0.650	(16.5)	0.200	(5.1)	750	M71-R6000
Fig. 29	M71-25-718	B-718	Polyimide	White	1.250	(31.8)	0.250	(6.4)	750	M71-R6000

Tamper Indicating Labels (B-351, B-352, B-530)

Tamper resistant tape destructs into tiny fragments when being removed. Making any attempts to remove the label very difficult and time consuming.

- **B-351 Destructible Vinyl Material** - White vinyl material with matte finish and permanent adhesive
- **B-352 Destructible Vinyl Material** - Metallized vinyl material with matte finish and permanent adhesive
- **B-530 Tamper-Resistant Vinyl Material**




Figure 29



Figure 33



Diagram	Catalog #	B#	Material	Color	Label Width A		Label Height B		Labels Per Roll	Rec. Ribbon
					Inch	(mm)	Inch	(mm)		
B-351 Destructible Vinyl Labels										
Fig. 29	M71-17-351	B-351	Vinyl	White	1.000	(25.4)	0.500	(12.7)	500	M71-R6200
Fig. 29	M71-31-351	B-351	Vinyl	White	1.500	(38.1)	1.000	(25.4)	250	M71-R6200
Fig. 29	M71-20-351	B-351	Vinyl	White	2.000	(50.8)	1.000	(25.4)	100	M71-R6200
Fig. 29	M71-37-351	B-351	Vinyl	White	3.000	(76.2)	1.900	(48.3)	100	M71-R6200
B-352 Destructible Vinyl Labels										
Fig. 29	M71-17-352	B-352	Vinyl	Silver	1.000	(25.4)	0.500	(12.7)	500	M71-R6000
Fig. 29	M71-31-352	B-352	Vinyl	Silver	1.500	(38.1)	1.000	(25.4)	250	M71-R6000
Fig. 29	M71-20-352	B-352	Vinyl	Silver	2.000	(50.8)	1.000	(25.4)	100	M71-R6000
Fig. 29	M71-37-352	B-352	Vinyl	Silver	3.000	(76.2)	1.900	(48.3)	100	M71-R6000
B-530 Tamper-Resistant Vinyl Film										
Fig. 33	M71C-500-530	B-530	Vinyl	White	0.500	(12.7)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-1000-530	B-530	Vinyl	White	1.000	(25.4)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000
Fig. 33	M71C-2000-530	B-530	Vinyl	White	2.000	(50.8)	50 ft.	(15.2 m)	1 Roll (cont.)	M71-R6000



Technical Data Sheets

Brady offers online access to Technical Data Sheets for all Brady materials. View by a specific B-Number or search by relevant keywords.

Visit BradyID.com/techdata for more information.



See all BMP®71 ribbon parts on page 18.