

## Adhesive Cloth Wire and Cable Wraps (B-498, B-499)

- **B-498 Repositionable Vinyl Cloth Material** - Industrial strength and ideal for curved surfaces. Firm adhesive can be removed cleanly and reapplied




Figure 29




Figure 33



- **B-499 Permanent Nylon Cloth Material** - Durable industrial strength and designed to conform to curved surfaces

Diagram	Catalog #	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
<b>B-498 Repositionable Vinyl Cloth Labels</b>								
Fig. 29	M71-7-498	B-498	White	16-10	0.500 (12.7)	0.500 (12.7)	500	M71-R6200
Fig. 29	M71-17-498	B-498	White	12-10	1.000 (25.4)	0.500 (12.7)	500	M71-R6200
Fig. 29	M71-10-498	B-498	White	16-10	0.250 (6.4)	0.750 (19.1)	750	M71-R6200
Fig. 29	BM71-11-498	B-498	White	16-10	0.500 (12.7)	0.750 (19.1)	5000	M71-R6200
Fig. 29	M71-11-498	B-498	White	16-10	0.500 (12.7)	0.750 (19.1)	500	M71-R6200
Fig. 29	M71-16-498	B-498	White	12-10	0.375 (9.5)	1.000 (25.4)	500	M71-R6200
Fig. 29	BM71-18-498	B-498	White	12-10	0.750 (19.1)	1.000 (25.4)	2500	M71-R6200
Fig. 29	M71-18-498	B-498	White	12-10	0.750 (19.1)	1.000 (25.4)	250	M71-R6200
Fig. 29	BM71-19-498	B-498	White	12-10	1.000 (25.4)	1.000 (25.4)	2500	M71-R6200
Fig. 29	M71-19-498	B-498	White	12-10	1.000 (25.4)	1.000 (25.4)	250	M71-R6200
Fig. 29	BM71-29-498	B-498	White	10-4	0.500 (12.7)	1.500 (38.1)	5000	M71-R6200
Fig. 29	M71-29-498	B-498	White	10-4	0.500 (12.7)	1.500 (38.1)	500	M71-R6200
Fig. 29	M71-30-498	B-498	White	10-4	0.750 (19.1)	1.500 (38.1)	250	M71-R6200
Fig. 29	M71-31-498	B-498	White	10-4	1.000 (25.4)	1.500 (38.1)	250	M71-R6200
Fig. 29	M71-32-498	B-498	White	10-4	1.500 (38.1)	1.500 (38.1)	250	M71-R6200
Fig. 29	M71-21-498	B-498	White	Cables	1.000 (25.4)	2.500 (63.5)	100	M71-R6200
Fig. 29	M71-33-498	B-498	White	Cables	1.500 (38.1)	4.000 (101.6)	100	M71-R6200
Fig. 33	M71C-500-498	B-498	White	-	0.500 (12.7)	30 ft. (9.1 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-1000-498	B-498	White	-	1.000 (25.4)	30 ft. (9.1 m)	1 Roll (cont.)	M71-R6200
Fig. 33	M71C-1900-498	B-498	White	-	1.900 (48.3)	30 ft. (9.1 m)	1 Roll (cont.)	M71-R6200
<b>B-499 Nylon Cloth Labels</b>								
Fig. 29	M71-7-499	B-499	White	16-10	0.500 (12.7)	0.500 (12.7)	500	M71-R4300
Fig. 29	BM71-11-499	B-499	White	16-10	0.500 (12.7)	0.750 (19.1)	5000	M71-R4300
Fig. 29	M71-11-499	B-499	White	16-10	0.500 (12.7)	0.750 (19.1)	500	M71-R4300
Fig. 29	M71-16-499	B-499	White	12-10	0.375 (9.5)	1.000 (25.4)	500	M71-R4300
Fig. 29	M71-18-499	B-499	White	12-10	0.750 (19.1)	1.000 (25.4)	250	M71-R4300
Fig. 29	M71-19-499	B-499	White	12-10	1.000 (25.4)	1.000 (25.4)	250	M71-R4300
Fig. 29	M71-78-499	B-499	White	12-10	1.900 (48.3)	1.000 (25.4)	250	M71-R4300
Fig. 29	M71-28-499	B-499	White	10-4	0.250 (6.4)	1.500 (38.1)	750	M71-R4300
Fig. 29	M71-29-499	B-499	White	10-4	0.500 (12.7)	1.500 (38.1)	500	M71-R4300
Fig. 29	M71-30-499	B-499	White	10-4	0.750 (19.1)	1.500 (38.1)	250	M71-R4300
Fig. 29	M71-31-499	B-499	White	10-4	1.000 (25.4)	1.500 (38.1)	250	M71-R4300
Fig. 29	M71-21-499	B-499	White	Cables	1.000 (25.4)	2.500 (63.5)	100	M71-R4300
Fig. 33	M71C-500-499	B-499	White	-	0.500 (12.7)	30 ft. (9.1 m)	1 Roll (cont.)	M71-R4300
Fig. 33	M71C-1000-499	B-499	White	-	1.000 (25.4)	30 ft. (9.1 m)	1 Roll (cont.)	M71-R4300
Fig. 33	M71C-1900-499	B-499	White	-	1.900 (48.3)	30 ft. (9.1 m)	1 Roll (cont.)	M71-R4300

\* Approx. wire gauge based on AWG for THHN wire.

## Polyimide High Temp Adhesive Wire & Cable Labels (B-472)

- **B-472 Polyimide Material** - Polyimide material specifically designed to self-extinguish and prevent flames from propagating




Figure 29




Figure 33




Diagram	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig 29	M71-9-472	B-472	Polyimide	White	16-10	0.200 (5.1)	0.650 (25.4)	750	M71-R4300
Fig 29	M71-10-472	B-472	Polyimide	White	16-10	0.250 (6.4)	0.750 (25.4)	750	M71-R4300
Fig 29	M71-30-472	B-472	Polyimide	White	16-10	1.500 (38.1)	0.750 (38.1)	250	M71-R4300
Fig 29	M71-15-472	B-472	Polyimide	White	12-10	0.275 (7.0)	1.000 (25.4)	750	M71-R4300
Fig 29	M71-17-472	B-472	Polyimide	White	12-10	0.500 (12.7)	1.000 (25.4)	500	M71-R4300
Fig 29	M71-19-472	B-472	Polyimide	White	12-10	1.000 (25.4)	1.000 (25.4)	250	M71-R4300
Fig 29	M71-21-472	B-472	Polyimide	White	12-10	2.500 (63.5)	1.000 (38.1)	100	M71-R4300
Fig 29	M71-29-472	B-472	Polyimide	White	10-4	0.500 (12.7)	1.500 (19.1)	500	M71-R4300
Fig 29	M71-31-472	B-472	Polyimide	White	10-4	1.000 (25.4)	1.500 (16.5)	250	M71-R4300
Fig 33	M71C-1000-472	B-472	Polyimide	White	-	1.000 (25.4)	50 ft. (15.2 m)	1 Roll (cont.)	M71-R4300
Fig 33	M71C-1500-472	B-472	Polyimide	White	-	1.500 (38.1)	50 ft. (15.2 m)	1 Roll (cont.)	M71-R4300
Fig 33	M71C-2000-472	B-472	Polyimide	White	-	2.000 (50.8)	50 ft. (15.2 m)	1 Roll (cont.)	M71-R4300
Fig 33	M71C-1000-472-YL	B-472	Polyimide	Yellow	-	1.000 (38.1)	50 ft. (15.2 m)	1 Roll (cont.)	M71-R4300
Fig 33	M71C-1500-472-YL	B-472	Polyimide	Yellow	-	1.500 (50.8)	50 ft. (15.2 m)	1 Roll (cont.)	M71-R4300
Fig 33	M71C-2000-472-YL	B-472	Polyimide	Yellow	-	2.000 (38.1)	50 ft. (15.2 m)	1 Roll (cont.)	M71-R4300

Approx. wire gauge based on AWG for THHN wire. TEDLAR® is a registered trademark of DuPont.

See all BMP®71 ribbon parts on page 18.