



## **Re-Form<sup>™</sup> Plus Absorbents**

## Eco-friendly all-purpose absorbent for wiping and light foot traffic.

- Made from 80% recycled newsprint and cellulose with spunbond coverstock on one side for durability
- Up to 50% more absorbent than comparable polypropylene
- Supports corporate sustainability and LEED initiatives
- Absorbs water-based chemicals, oils and petroleum-based products
- Class A fire retardant

Product	Summary	Applications			
Liquids Absorbed:	Oils, Coolants, Solvents and Water-based Fluids	<ul> <li>For drips, spills and wiping Indoor use or dry-weather outdoor use</li> </ul>			
Durability:	$\checkmark$	<ul> <li>Maintenance or storage areas</li> </ul>			
Linting:	Medium Linting	Production/Machine areas			
Absorbencies:	Heavy, Medium & Light Weight	Under equipment or vehicles			
Cost:	\$\$	<ul> <li>Light foot traffic areas</li> </ul>			

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (Ibs)	Pallet Qty.	Quantity
<b>Re-Form Plus</b>	Pads							
RFP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	17	40	19.5	24	100/case
RFP500	Light Wt. Pad	15"x19"	Yes, 7.5"	17	24	12.7	36	100/case
<b>Re-Form Plus</b>	Rolls							
RFP28-DP	Heavy Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	62	33	12	1/case
RFP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	54	30.5	12	1/case
RFP314P	Medium Wt. Roll	14.25"x150'	Yes, every 19"	17	30	15.5	24	1/case

\*Re-Form<sup>™</sup> Absorbents are not intended for use with highly aggressive chemicals.



## Re-Form<sup>™</sup> Universal Absorbents

Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene.

- Made from 80% recycled newsprint and cellulose and is up to 50% more absorbent than comparable polypropylene absorbents
- Nylon mesh construction provides extra durability and strength
- Class A fire retardant
- Supports corporate sustainability and LEED initiatives

Product	Summary	Applications			
Liquids Absorbed:	Oils, Coolants, Solvents and Water-based Fluids	<ul><li>For drips and spill applications</li><li>Indoor use or dry-weather</li></ul>			
Durability:	1	outdoor use			
Linting:	High Linting	<ul> <li>Maintenance areas</li> </ul>			
Absorbencies:	Heavy, Medium	<ul> <li>Production/Machine areas</li> </ul>			
& Light Weight		<ul> <li>Under assembly/equipment</li> </ul>			
Cost:	\$	lines or vehicles			

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Re-Form Pads</b>								
RF100	Heavy Wt. Pad	15"x19"	No	17.5	40	19	24	100/case
RF300	Medium Wt. Pad	15"x19"	No	17.5	32	14.8	30	100/case
RF500	Light Wt. Pad	15"x19"	No	17.5	24	12	36	100/case

\*Re-Form<sup>™</sup> Absorbents are not intended for use with highly aggressive chemicals.