

Styles: 1600, 1601, 1899, 1898, 1898T (continued)

HOLEMAKING

drill diameter frac/wire/let	decimal mm	overall equivalent	overall length	flute length	order number				
					1600 Black Oxide	1601 Bright	1899 Black Oxide	1898 Bright	1898T TiN
3	5.40	.2126	93	57	—	—	C22852	C62852	—
		.2130	3-3/4	2-1/2	—	—	C22712	C23081	C19102
7/32	5.50	.2165	93	57	C68615	—	C22853	C62853	C24353
		.2188	3-3/4	2-1/2	C68010	C68124	C22713	C23005	C19170
2	5.60	.2205	93	57	—	—	C22854	C62854	—
		.2210	3-7/8	2-5/8	—	—	C22714	C23082	C19101
1	5.70	.2244	93	57	—	—	C22855	C62855	—
		.2263	93	57	—	—	C01190	—	—
		.2280	3-7/8	2-5/8	—	—	C22715	C23083	C19100
		.2283	93	57	—	—	C22856	C62856	—
		.2323	93	57	—	—	C22857	C62857	C24354
A		.2340	3-7/8	2-5/8	—	—	C22716	C22970	—
15/64		.2344	3-7/8	2-5/8	C68011	C68125	C22717	C23006	C19171
		.2362	93	57	C68616	—	C22858	C62858	C24355
B		.2380	4	2-3/4	—	—	C22718	C22971	—
		.2402	101	63	—	—	C22859	C62859	—
C		.2420	4	2-3/4	—	—	C22719	C22972	—
		.2441	101	63	—	—	C22860	C62860	—
D		.2460	4	2-3/4	—	—	C22720	C22973	C19193
		.2460	101	63	—	—	C01202	—	—
		.2480	101	63	—	—	C22861	C62861	—
1/4, E		.2500	4	2-3/4	C68012	C68126	C22721	C23007	C19172
		.2520	101	63	—	—	C22862	C62862	C24356
		.2559	101	63	C68617	—	C22863	C62863	C24357
F		.2570	4-1/8	2-7/8	—	—	C22722	C22974	C19194
		.2598	101	63	—	—	C22864	C62864	C24358
G		.2610	4-1/8	2-7/8	—	—	C22723	C22975	C19195
		.2638	101	63	—	—	C22865	C62865	C24359
17/64		.2656	4-1/8	2-7/8	C68013	C68127	C22724	C23008	C19173
		.2657	109	69	—	—	C01213	—	—
H		.2660	4-1/8	2-7/8	—	—	C22725	C22976	C19196
		.2677	109	69	—	—	C22866	C62866	C24360
		.2717	109	69	—	—	C22867	C62867	C24361
I		.2720	4-1/8	2-7/8	—	—	C22726	C22977	C19197
		.2756	109	69	C68618	—	C22868	C62868	C24362
J		.2770	4-1/8	2-7/8	—	—	C22727	C22978	C19198
		.2795	109	69	—	—	C22869	C62869	—
K		.2810	4-1/4	2-15/16	—	—	C22728	C22979	—
9/32		.2812	4-1/4	2-15/16	C68014	C68128	C22729	C23009	C19174
		.2835	109	69	—	—	C22870	C62870	C24363
		.2854	109	69	—	—	C01223	—	—
		.2874	109	69	—	—	C22871	C62871	C24317
L		.2900	4-1/4	2-15/16	—	—	C22730	C22980	C19199
		.2913	109	69	—	—	C22872	C62872	—
M		.2950	4-3/8	3-1/16	—	—	C22731	C22981	—
		.2953	109	69	C68619	—	C22873	C62873	C24364
19/64		.2969	4-3/8	3-1/16	C68015	C68129	C22732	C23010	C19175
		.2992	117	75	—	—	C22874	C62874	—
N		.3020	4-3/8	3-1/16	—	—	C22733	C22982	C19200
		.3031	117	75	—	—	C22875	C62875	—
		.3051	117	75	—	—	C01234	—	—
		.3071	117	75	—	—	C22876	C62876	—
		.3110	117	75	—	—	C22877	C62877	—
5/16		.3125	4-1/2	3-3/16	C68016	C68130	C22734	C23011	C19176
		.3150	117	75	C68620	—	C22878	C62878	C24365

continued on next page