



## EBE-Series, Electric Bar Cutters

The versatile EBE-Series Electric Bar Cutters quickly cut through heavy duty bar up to 26 mm in diameter without the need for an external hydraulic pump.

Their compact size and low weight enable them to be easily transported and used wherever an external power source is available.

- ① Highly durable blades maintain effectiveness throughout rigorous use.
- ② Safety guard helps protect hands from injury.
- ③ Heavy-duty cutting head provides a longer operational life.
- ④ Lifting handle enables easy positioning and transport.
- ⑤ Piston-release mechanism allows blade to be reset, reducing jamming and providing a controlled cutting process.

## EBE Series



Maximum Material Hardness:

**HRc 43**


Maximum Material Diameter:

**22 - 26 mm**

Voltage\*:

**120 and 230 Volt**

\* ETL certification applies to 120 Volt tools only.



**Voltage: (Model Number ending with suffix)**

**B = 120V, 60 Hz (with American-style NEMA 1-15 plug)**

**E = 230V, 50 Hz (with European-style SCHUKO plug)**

Maximum Material Diameter <sup>1)</sup> (mm)	Power Specifications				Model Number	Maximum Material Tensile Strength (daN/mm <sup>2</sup> )	Maximum Material Hardness <sup>1)</sup> (HRc)	Maximum Cutting Force (kN)	Dimensions (mm)			Cord Length (m)	Replacement Blade Kit Model Number	
	Volt	Hz	Amps	kW					A	B	C			
22	120	60	11	1,3	<b>EBE22B</b>	65	43	223	460	140	249	1,8	13,2	<b>EBE2201K</b>
22	230	50	6,8	1,4	<b>EBE22E</b>	65	43	223	460	140	249	3,0	13,2	<b>EBE2201K</b>
26	120	60	11	1,3	<b>EBE26B</b>	65	43	329	468	140	259	1,8	15,9	<b>EBE2601K</b>
26	230	50	6,8	1,4	<b>EBE26E</b>	65	43	329	468	140	259	3,0	15,9	<b>EBE2601K</b>

<sup>1)</sup> Maximum material properties indicated refer to the material to be cut.