

## Thermoplastic Valves Y-Pattern Valves



Socket Style

Pressure Rating @ 73°F (23°C), Water  
 1/2" - 2"      150 psi  
 3" - 4"      90 psi  
 Maximum Service Temperature  
 PVC = 140°F (60°C)  
 CPVC = 200°F (93°C)  
 Temperature/Pressure De-ratings Apply



True Union Style

### PVC - Socket Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
1/2	1722-005	1732-005	1	12	620
	<b>79.57</b>	<b>84.18</b>			
3/4	1722-007	1732-007	1	8	620
	<b>93.36</b>	<b>99.48</b>			
1	1722-010	1732-010	1	8	620
	<b>111.71</b>	<b>119.36</b>			
1-1/4	1722-012	1732-012	1	4	620
	<b>136.21</b>	<b>149.99</b>			
1-1/2	1722-015	1732-015	1	0	620
	<b>182.12</b>	<b>192.83</b>			
2	1722-020	1732-020	2	0	620
	<b>258.64</b>	<b>275.49</b>			
3	1722-030	1732-030	1	0	620
	<b>557.07</b>	<b>606.05</b>			
4	1722-040	1732-040	1	0	620
	<b>945.80</b>	<b>1029.99</b>			

### PVC Clear - Socket Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
1/2	1722-005CL	1732-005CL	1	12	621
	<b>79.57</b>	<b>84.18</b>			
3/4	1722-007CL	1732-007CL	1	8	621
	<b>93.36</b>	<b>99.48</b>			
1	1722-010CL	1732-010CL	1	8	621
	<b>111.71</b>	<b>119.36</b>			
1-1/4	1722-012CL	1732-012CL	1	4	621
	<b>136.21</b>	<b>149.99</b>			
1-1/2	1722-015CL	1732-015CL	1	0	621
	<b>182.12</b>	<b>192.83</b>			
2	1722-020CL	1732-020CL	2	0	621
	<b>258.64</b>	<b>275.49</b>			
3	1722-030CL	1732-030CL	1	0	621
	<b>557.07</b>	<b>606.05</b>			
4	1722-040CL	1732-040CL	1	0	621
	<b>945.80</b>	<b>1029.99</b>			

### PVC - SR Threaded Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
1/2	1721-005SR	1731-005SR	1	8	620
	<b>82.64</b>	<b>87.24</b>			
3/4	1721-007SR	1731-007SR	1	8	620
	<b>97.94</b>	<b>104.07</b>			
1	1721-010SR	1731-010SR	1	8	620
	<b>117.85</b>	<b>125.50</b>			
1-1/4	1721-012SR	1731-012SR	1	0	620
	<b>160.68</b>	<b>169.87</b>			
1-1/2	1721-015SR	1731-015SR	1	0	620
	<b>197.41</b>	<b>206.61</b>			
2	1721-020SR	1731-020SR	1	0	620
	<b>278.54</b>	<b>292.32</b>			
3	1721-030SR	1731-030SR	1	0	620
	<b>598.39</b>	<b>647.37</b>			
4	1721-040SR	1731-040SR	1	0	620
	<b>988.66</b>	<b>1072.82</b>			

### PVC Clear - SR Threaded Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
1/2	1721-005CLSR	1731-005CLSR	1	8	621
	<b>82.64</b>	<b>87.24</b>			
3/4	1721-007CLSR	1731-007CLSR	1	8	621
	<b>97.94</b>	<b>104.07</b>			
1	1721-010CLSR	1731-010CLSR	1	8	621
	<b>117.85</b>	<b>125.50</b>			
1-1/4	1721-012CLSR	1731-012CLSR	1	0	621
	<b>160.68</b>	<b>169.87</b>			
1-1/2	1721-015CLSR	1731-015CLSR	1	0	621
	<b>197.41</b>	<b>206.61</b>			
2	1721-020CLSR	1731-020CLSR	1	0	621
	<b>278.54</b>	<b>292.32</b>			
3	1721-030CLSR	1731-030CLSR	1	0	621
	<b>598.39</b>	<b>647.37</b>			
4	1721-040CLSR	1731-040CLSR	1	0	621
	<b>988.66</b>	<b>1072.82</b>			

### PVC - Flanged Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
1/2	1723-005	1733-005	1	8	620
	<b>111.71</b>	<b>116.31</b>			
3/4	1723-007	1733-007	1	4	620
	<b>128.55</b>	<b>134.68</b>			
1	1723-010	1733-010	1	4	620
	<b>151.50</b>	<b>157.63</b>			
1-1/4	1723-012	1733-012	1	0	620
	<b>177.52</b>	<b>189.77</b>			
1-1/2	1723-015	1733-015	1	0	620
	<b>223.44</b>	<b>234.17</b>			
2	1723-020	1733-020	1	0	620
	<b>313.72</b>	<b>329.04</b>			
3	1723-030	1733-030	1	0	620
	<b>612.18</b>	<b>661.15</b>			
4	1723-040	1733-040	1	0	620
	<b>1215.14</b>	<b>1288.62</b>			

### PVC Clear - Flanged Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
1/2	1723-005CL	1733-005CL	1	8	621
	<b>111.71</b>	<b>116.31</b>			
3/4	1723-007CL	1733-007CL	1	8	621
	<b>128.55</b>	<b>134.68</b>			
1	1723-010CL	1733-010CL	1	4	621
	<b>151.50</b>	<b>157.63</b>			
1-1/4	1723-012CL	1733-012CL	1	0	621
	<b>177.52</b>	<b>189.77</b>			
1-1/2	1723-015CL	1733-015CL	1	0	621
	<b>223.44</b>	<b>234.17</b>			
2	1723-020CL	1733-020CL	1	0	621
	<b>313.72</b>	<b>329.04</b>			
3	1723-030CL	1733-030CL	1	0	621
	<b>612.18</b>	<b>661.15</b>			
4	1723-040CL	1733-040CL	1	0	621
	<b>1215.14</b>	<b>1288.62</b>			

## Schedule 80 PVC Industrial Products & Accessories Y-Pattern Valves



Socket Style

Pressure Rating @ 73°F (23°C), Water  
 1/2" - 2"      150 psi  
 3" - 4"      90 psi  
 Maximum Service Temperature  
 PVC = 140°F (60°C)  
 Temperature/Pressure De-ratings Apply



True Union Style

### PVC - Socket Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1722-005 <b>79.57</b>	1732-005 <b>84.18</b>	1	12	620
<b>3/4</b>	1722-007 <b>93.36</b>	1732-007 <b>99.48</b>	1	8	620
<b>1</b>	1722-010 <b>111.71</b>	1732-010 <b>119.36</b>	1	8	620
<b>1-1/4</b>	1722-012 <b>136.21</b>	1732-012 <b>149.99</b>	1	4	620
<b>1-1/2</b>	1722-015 <b>182.12</b>	1732-015 <b>192.83</b>	1	0	620
<b>2</b>	1722-020 <b>258.64</b>	1732-020 <b>275.49</b>	2	0	620
<b>3</b>	1722-030 <b>557.07</b>	1732-030 <b>606.05</b>	1	0	620
<b>4</b>	1722-040 <b>945.80</b>	1732-040 <b>1029.99</b>	1	0	620

### PVC Clear - Socket Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1722-005CL <b>79.57</b>	1732-005CL <b>84.18</b>	1	12	621
<b>3/4</b>	1722-007CL <b>93.36</b>	1732-007CL <b>99.48</b>	1	8	621
<b>1</b>	1722-010CL <b>111.71</b>	1732-010CL <b>119.36</b>	1	8	621
<b>1-1/4</b>	1722-012CL <b>136.21</b>	1732-012CL <b>149.99</b>	1	4	621
<b>1-1/2</b>	1722-015CL <b>182.12</b>	1732-015CL <b>192.83</b>	1	0	621
<b>2</b>	1722-020CL <b>258.64</b>	1732-020CL <b>275.49</b>	2	0	621
<b>3</b>	1722-030CL <b>557.07</b>	1732-030CL <b>606.05</b>	1	0	621
<b>4</b>	1722-040CL <b>945.80</b>	1732-040CL <b>1029.99</b>	1	0	621

### PVC - SR Threaded Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1721-005SR <b>82.64</b>	1731-005SR <b>87.24</b>	1	8	620
<b>3/4</b>	1721-007SR <b>97.94</b>	1731-007SR <b>104.07</b>	1	8	620
<b>1</b>	1721-010SR <b>117.85</b>	1731-010SR <b>125.50</b>	1	8	620
<b>1-1/4</b>	1721-012SR <b>160.68</b>	1731-012SR <b>169.87</b>	1	0	620
<b>1-1/2</b>	1721-015SR <b>197.41</b>	1731-015SR <b>206.61</b>	1	0	620
<b>2</b>	1721-020SR <b>278.54</b>	1731-020SR <b>292.32</b>	1	0	620
<b>3</b>	1721-030SR <b>598.39</b>	1731-030SR <b>647.37</b>	1	0	620
<b>4</b>	1721-040SR <b>988.66</b>	1731-040SR <b>1072.82</b>	1	0	620

### PVC Clear - SR Threaded Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1721-005CLSR <b>82.64</b>	1731-005CLSR <b>87.24</b>	1	8	621
<b>3/4</b>	1721-007CLSR <b>97.94</b>	1731-007CLSR <b>104.07</b>	1	8	621
<b>1</b>	1721-010CLSR <b>117.85</b>	1731-010CLSR <b>125.50</b>	1	8	621
<b>1-1/4</b>	1721-012CLSR <b>160.68</b>	1731-012CLSR <b>169.87</b>	1	0	621
<b>1-1/2</b>	1721-015CLSR <b>197.41</b>	1731-015CLSR <b>206.61</b>	1	0	621
<b>2</b>	1721-020CLSR <b>278.54</b>	1731-020CLSR <b>292.32</b>	1	0	621
<b>3</b>	1721-030CLSR <b>598.39</b>	1731-030CLSR <b>647.37</b>	1	0	621
<b>4</b>	1721-040CLSR <b>988.66</b>	1731-040CLSR <b>1072.82</b>	1	0	621

### PVC - Flanged Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1723-005 <b>111.71</b>	1733-005 <b>116.31</b>	1	8	620
<b>3/4</b>	1723-007 <b>128.55</b>	1733-007 <b>134.68</b>	1	4	620
<b>1</b>	1723-010 <b>151.50</b>	1733-010 <b>157.63</b>	1	4	620
<b>1-1/4</b>	1723-012 <b>177.52</b>	1733-012 <b>189.77</b>	1	0	620
<b>1-1/2</b>	1723-015 <b>223.44</b>	1733-015 <b>234.17</b>	1	0	620
<b>2</b>	1723-020 <b>313.72</b>	1733-020 <b>329.04</b>	1	0	620
<b>3</b>	1723-030 <b>612.18</b>	1733-030 <b>661.15</b>	1	0	620
<b>4</b>	1723-040 <b>1215.14</b>	1733-040 <b>1288.62</b>	1	0	620

### PVC Clear - Flanged Ends

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
<b>1/2</b>	1723-005CL <b>111.71</b>	1733-005CL <b>116.31</b>	1	8	621
<b>3/4</b>	1723-007CL <b>128.55</b>	1733-007CL <b>134.68</b>	1	8	621
<b>1</b>	1723-010CL <b>151.50</b>	1733-010CL <b>157.63</b>	1	4	621
<b>1-1/4</b>	1723-012CL <b>177.52</b>	1733-012CL <b>189.77</b>	1	0	621
<b>1-1/2</b>	1723-015CL <b>223.44</b>	1733-015CL <b>234.17</b>	1	0	621
<b>2</b>	1723-020CL <b>313.72</b>	1733-020CL <b>329.04</b>	1	0	621
<b>3</b>	1723-030CL <b>612.18</b>	1733-030CL <b>661.15</b>	1	0	621
<b>4</b>	1723-040CL <b>1215.14</b>	1733-040CL <b>1288.62</b>	1	0	621