



**True Union 2000 Standard Retrofit Ball Valves - Replaces Spears® "Regular Style" Valves**

**CPVC - Socket Ends (continued)**

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
<b>4</b>	3622RS-040C 797.68	3632RS-040C 886.31	1	0	611

**True Union Ball Valves (Regular Style)**



Socket/Threaded Style

Pressure Rating @ 73°F (23°C), Water  
 1/2" - 2" 235 psi  
 2-1/2" - 6" 150 psi  
 Flanged 150 psi  
 Maximum Service Temperature  
 CPVC = 200°F (93°C)  
 Temperature/Pressure De-ratings Apply  
 Rated for Vacuum Service  
 All Valves assembled with Silicone-Free, Water Soluble Lubricant.

6" Venturied Valves are 4" Ball Valves equipped with 4x6 End Connectors.

**CPVC**

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
------	------	--------	--------	---------	-----------

**Socket & Threaded Ends**

Threaded End Connectors available on request

<b>1/2</b>	2329-005C 71.79	2339-005C 79.80	1	18	232
<b>3/4</b>	2329-007C 90.45	2339-007C 100.51	1	12	232
<b>1</b>	2329-010C 107.65	2339-010C 119.62	1	8	232
<b>1-1/4</b>	2329-012C 171.15	2339-012C 190.23	1	8	232
<b>1-1/2</b>	2329-015C 180.76	2339-015C 200.85	1	8	232
<b>2</b>	2329-020C 241.77	2339-020C 277.90	1	4	232

**Socket Ends**

<b>2-1/2</b>	2322-025C 514.91	2332-025C 572.10	1	0	232
<b>3</b>	2322-030C 602.06	2332-030C 668.98	1	0	232
<b>4</b>	2322-040C 1090.95	2332-040C 1212.17	1	0	232

**Socket Venturied Ends**

<b>6 VENTURIED</b>	2322-060C 1814.86	2332-060C 1883.05	1	0	233
--------------------	----------------------	----------------------	---	---	-----

**Threaded Ends**

<b>2-1/2</b>	2321-025C 514.91	2331-025C 572.10	1	0	232
<b>3</b>	2321-030C 602.06	2331-030C 668.98	1	0	232
<b>4</b>	2321-040C 1090.95	2331-040C 1212.17	1	0	232

**Flanged Ends**

<b>1/2</b>	2323-005C 121.82	2333-005C 124.45	6	0	232
<b>3/4</b>	2323-007C 149.34	2333-007C 155.56	5	0	232
<b>1</b>	2323-010C 170.99	2333-010C 181.50	5	0	232
<b>1-1/4</b>	2323-012C 255.45	2333-012C 264.41	2	0	232
<b>1-1/2</b>	2323-015C 281.00	2333-015C 290.33	3	0	232
<b>2</b>	2323-020C 391.02	2333-020C 465.68	2	0	232
<b>2-1/2</b>	2323-025C 693.31	2333-025C 832.19	1	0	232

**CPVC (continued)**

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
------	------	--------	--------	---------	-----------

**Flanged Ends**

<b>3</b>	2323-030C 1013.93	2333-030C 1037.03	1	0	232
<b>4</b>	2323-040C 1778.24	2333-040C 1849.36	1	0	232

**Flanged Venturied Ends**

<b>6 VENTURIED</b>	2323-060C 2756.35	2333-060C 2851.87	1	0	233
--------------------	----------------------	----------------------	---	---	-----



## Thermoplastic Valves True Union Ball Valves (Regular Style)

### PVC

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
------	------	--------	--------	---------	-----------

#### Socket Ends

<b>2-1/2</b>	2322-025 <b>307.61</b>	2332-025 <b>416.81</b>	1	0	230
<b>3</b>	2322-030 <b>405.56</b>	2332-030 <b>450.63</b>	1	0	230
<b>4</b>	2322-040 <b>685.23</b>	2332-040 <b>761.35</b>	1	0	230

#### Socket Venturied Ends

<b>6 VENTURIED</b>	2322-060 <b>914.24</b>	2332-060 <b>996.12</b>	1	0	231
--------------------	---------------------------	---------------------------	---	---	-----

#### Threaded Ends

<b>2-1/2</b>	2321-025 <b>307.61</b>	2331-025 <b>416.81</b>	1	0	230
<b>3</b>	2321-030 <b>405.56</b>	2331-030 <b>450.63</b>	1	0	230
<b>4</b>	2321-040 <b>685.23</b>	2331-040 <b>761.35</b>	1	0	230

#### Flanged Ends

<b>1/2</b>	2323-005 <b>77.78</b>	2333-005 <b>82.97</b>	6	0	230
<b>3/4</b>	2323-007 <b>98.53</b>	2333-007 <b>107.16</b>	5	0	230
<b>1</b>	2323-010 <b>119.27</b>	2333-010 <b>128.21</b>	5	0	230
<b>1-1/4</b>	2323-012 <b>140.00</b>	2333-012 <b>155.56</b>	2	0	230
<b>1-1/2</b>	2323-015 <b>176.32</b>	2333-015 <b>191.84</b>	3	0	230
<b>2</b>	2323-020 <b>280.78</b>	2333-020 <b>297.78</b>	2	0	230
<b>2-1/2</b>	2323-025 <b>492.60</b>	2333-025 <b>500.72</b>	1	0	230
<b>3</b>	2323-030 <b>544.45</b>	2333-030 <b>675.97</b>	1	0	230
<b>4</b>	2323-040 <b>1094.70</b>	2333-040 <b>1268.95</b>	1	0	230

#### Flanged Venturied Ends

<b>6 VENTURIED</b>	2323-060 <b>1596.52</b>	2333-060 <b>1637.43</b>	1	0	231
--------------------	----------------------------	----------------------------	---	---	-----

### CPVC

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
------	------	--------	--------	---------	-----------

#### Socket & Threaded Ends

Threaded End Connectors available on request

<b>1/2</b>	2329-005C <b>71.79</b>	2339-005C <b>79.80</b>	1	18	232
<b>3/4</b>	2329-007C <b>90.45</b>	2339-007C <b>100.51</b>	1	12	232
<b>1</b>	2329-010C <b>107.65</b>	2339-010C <b>119.62</b>	1	8	232
<b>1-1/4</b>	2329-012C <b>171.15</b>	2339-012C <b>190.23</b>	1	8	232
<b>1-1/2</b>	2329-015C <b>180.76</b>	2339-015C <b>200.85</b>	1	8	232
<b>2</b>	2329-020C <b>241.77</b>	2339-020C <b>277.90</b>	1	4	232

#### Socket Ends

<b>2-1/2</b>	2322-025C <b>514.91</b>	2332-025C <b>572.10</b>	1	0	232
<b>3</b>	2322-030C <b>602.06</b>	2332-030C <b>668.98</b>	1	0	232
<b>4</b>	2322-040C <b>1090.95</b>	2332-040C <b>1212.17</b>	1	0	232

#### Socket Venturied Ends

<b>6 VENTURIED</b>	2322-060C <b>1814.86</b>	2332-060C <b>1883.05</b>	1	0	233
--------------------	-----------------------------	-----------------------------	---	---	-----

#### Threaded Ends

<b>2-1/2</b>	2321-025C <b>514.91</b>	2331-025C <b>572.10</b>	1	0	232
<b>3</b>	2321-030C <b>602.06</b>	2331-030C <b>668.98</b>	1	0	232
<b>4</b>	2321-040C <b>1090.95</b>	2331-040C <b>1212.17</b>	1	0	232

### CPVC

Size	EPDM	Viton®	Std Pk	Mstr Pk	Disc Code
------	------	--------	--------	---------	-----------

#### Flanged Ends

<b>1/2</b>	2323-005C <b>121.82</b>	2333-005C <b>124.45</b>	6	0	232
<b>3/4</b>	2323-007C <b>149.34</b>	2333-007C <b>155.56</b>	5	0	232
<b>1</b>	2323-010C <b>170.99</b>	2333-010C <b>181.50</b>	5	0	232
<b>1-1/4</b>	2323-012C <b>255.45</b>	2333-012C <b>264.41</b>	2	0	232
<b>1-1/2</b>	2323-015C <b>281.00</b>	2333-015C <b>290.33</b>	3	0	232
<b>2</b>	2323-020C <b>391.02</b>	2333-020C <b>465.68</b>	2	0	232
<b>2-1/2</b>	2323-025C <b>693.31</b>	2333-025C <b>832.19</b>	1	0	232
<b>3</b>	2323-030C <b>1013.93</b>	2333-030C <b>1037.03</b>	1	0	232
<b>4</b>	2323-040C <b>1778.24</b>	2333-040C <b>1849.36</b>	1	0	232

#### Flanged Venturied Ends

<b>6 VENTURIED</b>	2323-060C <b>2756.35</b>	2333-060C <b>2851.87</b>	1	0	233
--------------------	-----------------------------	-----------------------------	---	---	-----