



Schedule 40 Fittings & Accessories PVC Schedule 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

45° EII (continued)

Soc

417-240F	24	1	0	047	1787.66
----------	----	---	---	-----	---------

45° Street EII

Spig x Soc



427-005	1/2	50	400	040	1.01
427-007	3/4	50	0	040	1.56
427-010	1	50	0	040	1.88
427-012	1-1/4	25	0	040	2.62
427-015	1-1/2	25	0	040	3.29
427-020	2	25	0	040	4.28
427-025	2-1/2	10	0	040	13.95
427-030	3	10	0	040	17.32
427-040	4	5	0	040	31.05
427-050	5	4	0	040	93.36
427-060	6	4	0	040	95.89
427-080	8	2	0	040	230.64
427-100	10	1	0	041	606.88
427-120	12	1	0	041	889.74
427-140F	14	1	0	047	663.09
427-160F	16	1	0	047	901.29
427-180F	18	1	0	047	983.84
427-200F	20	1	0	047	1248.79
427-240F	24	1	0	047	1967.09

30° EII

Soc



415-005F	1/2	1	25	047	20.51
415-007F	3/4	25	0	047	20.64
415-010F	1	1	25	047	22.59
415-012F	1-1/4	1	15	047	24.45
415-015F	1-1/2	1	25	047	24.80
415-020F	2	1	25	047	25.72
415-025F	2-1/2	25	0	047	30.33
415-030F	3	1	20	047	32.44
415-040F	4	1	6	047	39.07
415-045F	4-1/2	1	15	047	61.82
415-050F	5	6	0	047	54.18
415-060F	6	1	10	047	62.77
415-080F	8	1	4	047	106.11
415-100F	10	1	2	047	160.11
415-120F	12	1	0	047	253.29
415-140F	14	1	0	047	398.21
415-160F	16	1	0	047	542.83
415-180F	18	1	0	047	651.90
415-200F	20	1	0	047	805.84
415-240F	24	1	0	047	1605.07

22-1/2° EII

Soc



416-005	1/2	20	240	040	1.43
416-007	3/4	20	240	040	2.23
416-010	1	20	160	040	2.67
416-012	1-1/4	20	0	040	3.73
416-015	1-1/2	20	0	040	4.68
416-020	2	20	0	040	6.13
416-025	2-1/2	5	0	040	15.93
416-025F	2-1/2	25	0	047	30.33
416-030	3	5	0	040	24.71
416-040	4	4	0	040	44.38
416-045F	4-1/2	1	15	047	61.82
416-050F	5	1	10	047	54.18
416-060	6	4	0	040	109.57

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


22-1/2° EII (continued)

Soc

416-060F	6	1	5	047	62.77
416-080	8	4	0	040	263.59
416-080F	8	1	4	047	106.11
416-100F	10	1	0	047	160.11
416-120F	12	1	0	047	253.29
416-140F	14	1	0	047	398.21
416-160F	16	1	0	047	542.83
416-180F	18	1	0	047	651.90
416-200F	20	1	0	047	805.84
416-240F	24	1	0	047	1605.07

22-1/2° Street EII

Spig x Soc



442-005	1/2	50	400	040	1.43
442-007	3/4	50	0	040	2.23
442-010	1	50	0	040	2.67
442-012	1-1/4	20	0	040	3.73
442-015	1-1/2	25	0	040	4.68
442-020	2	20	0	040	6.13
442-025F	2-1/2	1	18	047	34.70
442-030	3	5	0	040	35.80
442-040	4	4	0	040	55.24
442-060	6	4	0	040	136.38
442-060F	6	1	5	047	80.48
442-080	8	1	4	040	328.04
442-080F	8	1	4	047	121.22
442-100F	10	1	0	047	187.60
442-120F	12	1	0	047	281.59

15° EII

Soc



418-005F	1/2	1	25	047	20.51
418-007F	3/4	23	0	047	20.64
418-010F	1	20	0	047	22.59
418-012F	1-1/4	15	0	047	24.45
418-015F	1-1/2	25	0	047	24.80
418-020F	2	1	25	047	25.72
418-025F	2-1/2	18	0	047	30.33
418-030F	3	1	35	047	32.44
418-040F	4	1	20	047	39.07
418-045F	4-1/2	1	15	047	61.82
418-050F	5	1	15	047	54.18
418-060F	6	1	10	047	62.77
418-080F	8	1	4	047	106.11
418-100F	10	1	2	047	160.11
418-120F	12	1	2	047	253.29
418-140F	14	1	0	047	398.21
418-160F	16	1	0	047	542.83
418-180F	18	1	0	047	651.90
418-200F	20	1	0	047	805.84
418-240F	24	1	0	047	1605.07

11-1/4° EII

Soc



411-005F	1/2	52	0	047	20.51
411-007F	3/4	52	0	047	20.64
411-010F	1	52	0	047	22.59
411-012F	1-1/4	25	0	047	24.45
411-015	1-1/2	25	0	040	5.29
411-015F	1-1/2	25	0	047	24.80
411-020	2	10	0	040	6.13
411-025F	2-1/2	1	25	047	30.33