

Schedule 40 Fittings & Accessories PVC Gray Sch 40 Fittings



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

Reducing 90° Ell

Soc x Fipt



407-101G	3/4X1/2	50	300	043	1.02
----------	---------	----	-----	-----	------

90° Street Ell

Spig x Soc



409-005G	1/2	50	400	043	1.90
409-007G	3/4	50	0	043	2.35
409-010G	1	50	0	043	4.07
409-012G	1-1/4	25	0	043	4.85
409-015G	1-1/2	25	0	043	5.35

90° Street Ell

Mipt x Soc



410-005G	1/2	50	400	043	1.46
410-007G	3/4	50	0	043	1.72

90° Street Ell

Mipt x Fipt



412-005G	1/2	50	400	043	2.01
412-007G	3/4	50	0	043	2.45
412-010G	1	50	0	043	4.18
412-015G	1-1/2	25	0	043	5.63

45° Ell

Soc



417-005G	1/2	50	400	043	1.13
417-007G	3/4	50	300	043	1.72
417-010G	1	50	0	043	2.06
417-012G	1-1/4	25	0	043	2.95
417-015G	1-1/2	25	0	043	3.66
417-020G	2	25	0	043	4.77
417-025G	2-1/2	10	0	043	12.36
417-030G	3	10	0	043	19.22
417-040G	4	5	0	043	34.53
417-050G	5	5	0	043	68.45
417-060G	6	8	0	043	85.24
417-080G	8	3	0	043	205.00

22-1/2° Ell

Soc



416-060GF	6	1	5	045	87.64
416-120GF	12	1	2	045	281.56

Wye

Soc



100 psi maximum internal pressure rating @ 73°F (23°C)

475-100G	10	1	0	044	1355.91
475-120G	12	0	0	044	2003.47

Plug

Spig



449-005G	1/2	50	300	043	1.46
449-007G	3/4	50	300	043	1.72
449-010G	1	50	200	043	2.06
449-012G	1-1/4	25	150	043	2.80
449-015G	1-1/2	25	100	043	3.54

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

Plug (continued)

Spig

449-020G	2	10	120	043	4.41
449-030G	3	10	0	043	9.96

Plug


Mipt



450-003G	3/8	50	300	043	1.89
450-005G	1/2	50	400	043	1.83
450-007G	3/4	50	300	043	2.00
450-010G	1	50	400	043	3.23
450-012G	1-1/4	25	300	043	3.37
450-015G	1-1/2	25	100	043	3.65
450-020G	2	10	120	043	4.67
450-025G	2-1/2	10	0	043	6.49
450-030G	3	10	0	043	9.85
450-040G	4	6	0	043	22.22

Cross

Soc



420-005G	1/2	50	0	043	2.60
420-007G	3/4	50	0	043	4.29
420-010G	1	50	0	043	5.35
420-012G	1-1/4	25	0	043	7.09
420-015G	1-1/2	25	0	043	8.03
420-020G	2	10	0	043	11.86
420-025G	2-1/2	10	0	043	25.15
420-030G	3	5	0	043	30.83
420-040G	4	4	0	043	45.70

Cap

Soc



447-003G	3/8	50	300	043	1.72
447-005G	1/2	50	300	043	.64
447-007G	3/4	50	300	043	.72
447-010G	1	50	200	043	1.13
447-012G	1-1/4	25	100	043	1.59
447-015G	1-1/2	25	0	043	1.72
447-020G	2	10	80	043	2.09
447-025G	2-1/2	10	0	043	6.67
447-030G	3	10	0	043	7.27
447-040G	4	6	0	043	16.55
447-050G	5	5	0	043	27.78
447-060G	6	4	0	043	39.66
447-080G	8	3	0	043	99.61

Cap


Fipt



448-003G	3/8	50	300	043	2.35
448-005G	1/2	50	300	043	1.31
448-007G	3/4	50	300	043	1.47
448-010G	1	50	200	043	2.24
448-012G	1-1/4	25	100	043	2.67
448-015G	1-1/2	25	100	043	2.80
448-020G	2	10	120	043	4.95
448-030G	3	10	0	043	9.52
448-040G	4	6	0	043	16.67

Coupling

Soc



429-005G	1/2	50	600	043	.46
----------	-----	----	-----	-----	-----