



Metric Fittings & Valves
PN16 PVC Metric Fittings & PN16 CPVC Metric Fittings

PN16 PVC Metric Fittings

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

PVC TRANSITION COUPLING

JIS Socket (mm) x ASTM Socket (in)



PN 16 - 232 psi Pressure Rating at 23°C (73°F)

8229-016	16 DN X 1/2	25	150	197	5.68
8229-020	20 DN X 3/4	25	150	197	7.69
8229-025	25 DN X 1	20	160	197	7.90
8229-030	30 DN X 1-1/4	20	0	197	12.04
8229-040	40 DN X 1-1/2	10	0	197	12.98
8229-050	50 DN X 2	10	0	197	13.94

PVC UNION VITON®

Socket



PN 16 - 232 psi Pressure Rating at 23°C (73°F)

657-020	20 d	10	60	190	11.65
657-025	25 d	10	60	190	14.80
657-032	32 d	10	40	190	16.88

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

PVC UNION VITON® (continued)

Socket

657-040	40 d	5	20	190	33.54
657-050	50 d	5	0	190	37.99
657-063	63 d	5	0	190	51.50

PVC UNION EPDM

Socket



PN 16 - 232 psi Pressure Rating at 23°C (73°F)

697-020	20 d	10	60	190	11.48
697-025	25 d	10	60	190	14.61
697-032	32 d	10	40	190	16.72
697-040	40 d	5	20	190	33.15
697-050	50 d	5	0	190	37.51
697-063	63 d	5	0	190	50.89

PN16 CPVC Metric Fittings

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

CPVC TRANSITION COUPLING

JIS Socket (mm) x ASTM Socket (in)



PN 16 - 232 psi Pressure Rating at 23°C (73°F)

8229-016C	16 DN X 1/2	25	150	197	6.06
8229-020C	20 DN X 3/4	25	150	197	8.47
8229-025C	25 DN X 1	20	160	197	11.41
8229-030C	30 DN X 1-1/4	20	0	197	17.09
8229-040C	40 DN X 1-1/2	10	0	197	21.51
8229-050C	50 DN X 2	10	0	197	25.00

CPVC UNION VITON®

Socket



PN 16 - 232 psi Pressure Rating at 23°C (73°F)

657-020C	20 d	10	60	192	26.01
657-025C	25 d	10	60	192	27.17
657-032C	32 d	10	40	192	32.61
657-040C	40 d	5	20	192	65.99
657-050C	50 d	5	0	192	67.19
657-063C	63 d	5	0	192	111.38

CPVC UNION EPDM

Socket



PN 16 - 232 psi Pressure Rating at 23°C (73°F)

697-020C	20 d	10	60	192	25.93
697-025C	25 d	10	40	192	26.85
697-032C	32 d	10	40	192	32.17
697-040C	40 d	5	20	192	65.14
697-050C	50 d	5	0	192	66.38
697-063C	63 d	5	0	192	110.01