

Product data sheet

Specifications

SQUARE D

Green Premium™



Load center accessory, QO/
Homeline, ground bar kit, 15
terminals, with AWG 1-4/0 lug in
aluminum or copper

PK15GTAL

Product availability : Stock - Normally stocked in distribution facility

Price* : 35.00 USD

Main

Product line	QO
Product type	Bar

Complementary

Number of connectors	16
Wire size	AWG 14...AWG 4 copper AWG 12...AWG 4 aluminium AWG 4...AWG 1 aluminium/copper
Provided equipment	2 screw
Bar length	8.15 in (207 mm)
Maximum length of segment	3.15 in (80 mm)
Device mounting	Direct mounting back of enclosure
Height	0.437 in (11.10 mm)
Depth	0.312 in (7.92 mm)
Tightening torque	30 lb.in Mounting screw 30 lb.in 20 lb.in, AWG 14...AWG 10, copper 20 lb.in, AWG 12...AWG 10, aluminium 35 lb.in, AWG 6...AWG 4 25 lb.in, AWG 8 25 lb.in, AWG 14...AWG 12, copper 25 lb.in, AWG 12...AWG 10, aluminium

Ordering and shipping details

Category	00102-QO LC ACCESSORIES
Discount Schedule	DE3A
GTIN	785901440871
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Height	0.80 in (2.032 cm)
Package 1 Width	1.50 in (3.81 cm)
Package 1 Length	7.30 in (18.542 cm)
Package 1 Weight	5.60 oz (158.757 g)


Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty	18 months
-----------------	-----------

Dimensions



Recommended replacement(s)